Our Product Introduction

for more products please visit us on electriccars-ev.com

Sedan Changan Eado Plus Car Max 200km/H Low Oil Consumption

Basic Information

• Place of Origin: China • Brand Name: Changan . Certification: VDA, TUV, ISO Eado Plus . Model Number:

• Minimum Order Quantity:

• Price: \$7200-11500/unit

• Packaging Details: by sea, by trailer, rail via containers, LCL and

RO-RO vessel

• Delivery Time: 7 working days

L/C, D/A, D/P, T/T, Western Union, • Payment Terms:

MoneyGram

1-10 units 15 - 20 working days, 10-30 units • Supply Ability:

20-30 working days, 30-50 units ≥30 working

days



Product Specification

• Brand Name: Changan Eado Plus

• Fuel: Petrol

4730x1820x1505 Mm · Size:

• Maximum Torque(Nm): 260 N·m Left . Steering: . Seats: 5 Seats

Sedan Changan Eado Plus Car, • Highlight:

200km/H Max Petrol Cars



More Images











Product Description

New Style Sedan Changan Eado Plus Car Max 200km/H Low Oil Consumption Exporting From China Worldwide


Changan Eado PLUS is a sedan product under the Changan Automobile brand. It features a new generation of handsome and sporty styling, paired with international quality Blue Whale power, with spacious driving space and high-quality and safe design. To learn more about the price, appointment and test drive, configuration parameters, and product images and videos of the Eado PLUS, please feel free to contact us

Changan Eado Plus Configuration

Energy Gasoline Time to Market 2022.05 Engine 1.4T 160 horsepower L4 Max power 118(150Ps) Max Torque 260 N.m Gearbox 7-gear dual clutch Lengh*width*height 4730x1820x1505mm Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front-engine, Front-wheel drive Front-engine, Front-wheel drive Parking Brake Electronic<	Manufacturer	Changan
Engine 1.4T 160 horsepower L4 Max power 118(150Ps) Max Torque 260 N.m Gearbox 7-gear dual clutch Lengh*width*height 4730x1820x1505mm Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max power 18kW Max power 18kW Max power 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Fuel 215/50 R17 ABS Yes	Туре	Sedan
Engine 1.4T 160 horsepower L4 Max power 118(150Ps) Max Torque 260 N.m Gearbox 7-gear dual clutch Lengh*width*height 4730x1820x1505mm Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power \$500.pm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Energy	Gasoline
Max power 118(150Ps) Max Torque 260 N.m Gearbox 7-gear dual clutch Lengh*width*height 4730x1820x1505mm Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire	Time to Market	2022.05
Max Torque 260 N.m Gearbox 7-gear dual clutch Lengh*width*height 4730x1820x1505mm Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS </td <td>Engine</td> <td>1.4T 160 horsepower L4</td>	Engine	1.4T 160 horsepower L4
Gearbox 7-gear dual clutch Lengh*width*height 4730x1820x1505mm Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS	Max power	118(150Ps)
Lengh'width'height 4730x1820x1505mm Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Max Torque	260 N.m
Body Structure 4-door 5-seat Sedan Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Gearbox	7-gear dual clutch
Max Speed 200km/h Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Lengh*width*height	4730x1820x1505mm
Fuel consumption 5.6L/100km Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Body Structure	4-door 5-seat Sedan
Warranty 3 years or 100,000 km Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Parking Brake Electronic Tire 215/50 R17 ABS Yes	Max Speed	200km/h
Wheelbase 2700mm Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Fuel consumption	5.6L/100km
Weight 1340kg Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Warranty	3 years or 100,000 km
Fuel tank capacity 53L Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Wheelbase	2700mm
Trunk Volume 500L Displacement 1.4L Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Weight	1340kg
Displacement Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Fuel tank capacity	53L
Air intake turbo charging No. of cylinders 4 Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Trunk Volume	500L
Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Displacement	1.4L
Max horsepower 160Ps Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Air intake	turbo charging
Max Power 118kW Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	No. of cylinders	4
Max power speed 5500rpm ROZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Max horsepower	160Ps
POZ 92# Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Max Power	118kW
Oil supply method In cylinder direct injection Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Max power speed	5500rpm
Drive Front-engine, Front-wheel drive Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	ROZ	92#
Front suspension MacPherson independent suspension Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Oil supply method	In cylinder direct injection
Rear suspension Longitudinal arm torsion beam non independent suspension Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Drive	Front-engine, Front-wheel drive
Steering Electric assistance Parking Brake Electronic Tire 215/50 R17 ABS Yes	Front suspension	MacPherson independent suspension
Parking Brake Electronic Tire 215/50 R17 ABS Yes	Rear suspension	Longitudinal arm torsion beam non independent suspension
Tire 215/50 R17 ABS Yes	Steering	Electric assistance
ABS Yes	Parking Brake	Electronic
	Tire	215/50 R17
roms Yes	ABS	Yes
	tpms	Yes


Product Description

Changan Eado Plus Position C Appearance Level




1.4THigh pressure direct injection engine 7 Speed Dual clutch transmission maximum torque 260N.m

Changan Eado Plus Good Looking



It's like a school offish swimming in the ocean Linkage wide tail shape with fresh sewn hub Figure also let people move

Changan Eado Plus New Style



NEW STYLE OF CONTEMPORARY SEDAN

2700 ultra-long wheelbase

69mm luxury rear knee space, to create superior wide space 500L


large luggage space, up to 32 diversified storage space, give you more freedom and capricious

Changan Eado Plus LED Lighting



City light through-through LED front light Star pupil eye LED light group, for you to illuminate the journey High appearance level dual molding grille

Changan Eado Plus Engine



Blue Whale new generation NE1.4T high pressure direct injection engine The application ratio of strong steel is as high as 65%. The key area is 1500mpa ultra-high strength steel plate.

Changan Eado Plus Intelligent Interactive System ALL NEW INCALL 3.0 INTELLIGENT INTERACTIVE SYSTEM Mobile remote assistant connected intelligence Entertainment accompanying you to create a safe, fun, intimate smart travel experience **@** Yacht type elecwireless phone Cross drawing laser tronic gear Yacht through-type tuyere charging radium carving process

ALL NEW INCALL 3.0 INTELLIGENT INTERACTIVE SYSTEM

Mobile remote assistant, connected intelligence

type electronic

Entertainment accompanying you to create a safe, fun, intimate smart travel experience

design


Changan Eado Plus Air Bags



6 AIR BAGS

With a response speed of 0.03 seconds, Maximum speed protection

Changan Eado Plus Colors



Product Color Show

Chengdu Ruicheng Automobile Service Co., Ltd.

19158810053 mango@ruichengauto.com

electriccars-ev.com

Hall 5, No. 1, Yinhe Road, Damian Street Chengdu City, Sichuan Province, China